



南京大學

NANJING UNIVERSITY

互联网计算

殷亚凤

智能软件与工程学院

苏州校区南雍楼东区225

yafeng@nju.edu.cn , <https://yafengnju.github.io/>



教学内容

- 计算机网络和因特网（2学时）
- 应用层（2学时）
- 运输层（6学时）
- 网络层：数据平面（4学时）
- 网络层：控制平面（4学时）
- 链路层和局域网（4学时）
- 无线网络和移动网络（4学时）
- 计算机网络中的安全（4学时）
- 习题课和总复习（2学时）





课程主页

- 主页链接：<https://yafengnju.github.io/InternetComputing.htm>

互联网计算

[\[Course Information\]](#) [\[Slides\]](#) [\[Assignments\]](#)

Course Information

To:	B.Sc. students of School of Intelligent Software and Engineering , Nanjing University
Teacher:	Yafeng Yin
Classroom:	Room 105, West of Nanyong Building
Class time:	10:10 - 12:00, Tuesday
Textbook:	James F. Kurose, Keith W. Ross著, 陈鸣译. 计算机网络-自顶向下方法(原书第8版). 机械工业出版社.
Grading:	Final exam (60%) + Assignments (20% + 20%)

Slides

[1-计算机网络和因特网](#)

Assignments




课程书籍

教材



参考文献





考核形式

- **平时成绩（包括上课、课后作业和实验报告）：40%**
 - 随机抽查上课情况；
 - 约每节课均有课后作业，可选交其中5次（即取5次最高分）；
 - 约4次实验作业，每次实验作业均需提交；
- **考试成绩（闭卷）：60%**

总成绩 = 课后作业(20%) + 实验报告(20%) + 期末考试(60%)



Computer Networks and Internet

- Basic Concepts and Questions
- Network Performance
- Protocol Layers and Service Model
- Internet History






Concept: Internet





What is a network?

- A system of "links" that interconnect "nodes" in order to move "information" between nodes



- Yes, this is very vague



Different types of networks

- **Internet**
- Telephone network
- Wireless networks
- Optical networks
- Datacenter networks
- Transportation networks
- Social networks

We will focus primarily on the Internet.



What is the Internet?

- [Wiki]
 - The Internet is the **global system** of **interconnected** mainframe, personal, and wireless computer networks that use the **Internet protocol suite** (TCP/IP) to link billions of devices worldwide.
 - It is a **network of networks** that consists of millions of private, public, academic, business, and government networks of local to global scope, linked by a broad array of electronic, wireless, and optical networking technologies.



Basic questions:

Q1: What is the Internet made of?


Q2: How to connect to the Internet?

Q3: How to transfer data in the network?



Internet - Component View


- Millions of connected **computing devices**
 - Hosts = **End systems**
 - Running network applications
- **Communication links**
 - Fiber, Copper, Radio, Satellite
 - Building physical networks
- **Routers**
 - Forward packets (chunks of data) between physical networks





Internet - Service View


- **Communication infrastructure**
 - Enables distributed applications
 - Web, VoIP, email, online games, e-commerce, file sharing
- **Communication services provided to Apps:**
 - Reliable data delivery from source to destination
 - "best effort" (unreliable) data delivery
 - Guaranteed delay and throughput





Internet - Protocols

- Network Protocols
 - Control sending, receiving of messages
 - e.g. HTTP, Skype; TCP, IP; PPP, Ethernet
- Internet standards
 - IETF: Internet Engineering Task Force
 - RFC: Request for comments
- Internet: "network of networks"
 - Public Internet versus private Intranet
 - Loosely hierarchical





What's a protocol?

human protocols:

- “what's the time?”
- “I have a question”

... specific msgs sent

... specific actions taken
when msgs received, or
other events


network protocols:

- machines rather than humans
- all communication activity in
Internet governed by protocols

protocols define **format**, **order** of
msgs sent and received among
network entities, and **actions taken**
on msg transmission, receipt



a human protocol and a computer network protocol:





Basic questions:

Q1: What is the Internet made of?


Q2: How to connect to the Internet?

Q3: How to transfer data in the network?



Access Internet


- Network edge
 - Applications and hosts
- Access networks
 - Physical media
 - Wired and wireless communication links
- Network core
 - Interconnected routers
 - Network of networks





Network Edge


- End systems (hosts)
 - Run application programs
 - e.g. Web, Email
- Client/server model
 - Client host requests, receives service from always-on server
 - e.g. Web browser/server; Email client/server
- Peer-to-peer model
 - Minimal (or no) use of dedicated servers
 - e.g. Skype, BitTorrent





Access Networks

- How to connect **end systems to edge router?**
 - Residential (Home) access networks
 - Institutional access networks (school, company)
 - Mobile access networks






Residential Access

- **Dialup via modem**
 - Up to 56Kbps direct access to router
- **DSL: digital subscriber line**
 - Deployment: telephone company
 - Up to 1 Mbps upstream, and 8 Mbps downstream
 - **Dedicated** physical line to telephone central office
- **HFC: hybrid fiber coax**
 - Asymmetric: up to 30Mbps downstream, 2 Mbps upstream
 - **Homes share** access to ISP router
 - Deployment: cable TV companies



Example: A Modern Family



- A **home network** components:
 - DSL or cable modem
 - Router/Firewall/NAT
 - Ethernet switch
 - Wireless access point





Company Access: Local Area Networks


- Company/University **local area network** (LAN) connects end systems to edge router
- **Ethernet:**
 - 10 Mbps, 100Mbps, 1Gbps, 10Gbps Ethernet
 - Modern configuration: end systems connect into backbone of Ethernet switches





Wireless Access Networks

- Shared wireless media connects end system to router
 - via base station, or “access point”
- Wireless LANs:
 - 802.11b/g (WiFi): 11 or 54 Mbps
- Wider-area wireless access
 - Provided by telecommunication operator, 10's Km
 - between 1 and 10 Mbps
 - 3G, 4G: LTE, WiMax





Physical media

- **bit:** propagates between transmitter/receiver pairs
- **physical link:** what lies between transmitter & receiver
- **guided media:**
 - signals propagate in solid media: copper, fiber, coax
- **unguided media:**
 - signals propagate freely, e.g., radio
- **twisted pair (TP)**
 - two insulated copper wires
 - Category 5: 100 Mbps, 1 Gpbs Ethernet
 - Category 6: 10Gbps





Physical media: coax, fiber

coaxial cable:

- two concentric copper conductors
- bidirectional
- broadband:
 - multiple channels on cable



fiber optic cable:

- ❖ glass fiber carrying light pulses, each pulse a bit
- ❖ high-speed operation:
 - high-speed point-to-point transmission (e.g., 10' s-100' s Gpbs transmission rate)
- ❖ low error rate:
 - repeaters spaced far apart
 - immune to electromagnetic noise





Physical media: radio

- signal carried in electromagnetic spectrum
- no physical “wire”
- bidirectional
- propagation environment effects:
 - reflection
 - obstruction by objects
 - interference

radio link types:


- ❖ **terrestrial microwave**
 - e.g. up to 45 Mbps channels
- ❖ **LAN** (e.g., WiFi)
 - 11Mbps, 54 Mbps
- ❖ **wide-area** (e.g., cellular)
 - 3G cellular: ~ 1 Mbps
- ❖ **satellite**
 - Kbps to 45Mbps channel (or multiple smaller channels)
 - 270 msec end-end delay
 - geosynchronous versus low altitude





The Network Core

- Mesh of **interconnected routers**
- **Fundamental question**
 - How is data transferred through the net?
- **Circuit switching**
 - Dedicated circuit per call, e.g. telephone net
- **Packet-switching**
 - hosts break application-layer messages into packets
 - forward packets from one router to the next, across links on path from source to destination





Basic questions:

Q1: What is the Internet made of?


Q2: How to connect to the Internet?

Q3: How to transfer data in the network?




Circuit switching

1. **src** sends reservation request to **dst**
2. Switches create circuit *after* admission control
3. **src** sends data
4. **src** sends teardown request





Circuit switching



- Reservation establishes a "circuit" within a switch



Circuit switching

- Pros

- Predictable performance
- Simple/fast switching (once circuit established)

- Cons

- Complexity of circuit setup/teardown
- Dedicated resources: Inefficient when traffic is bursty
- Circuit setup adds delay
- Switch fails → its circuit(s) fails



Example: Statistical Multiplexing

Example:

- N users share one link (10Mbps)
 - Each user requires 1Mbps
 - Each user: active 10%, idle 90%.
- How many users are supported?


Circuit Switching:

$N = 10\text{Mbps} / 1\text{Mbps} = 10$ users

Statistical Multiplexing:


Assume $N = 35$, $\text{Prob}\{\text{active user} > 10\} < 0.0004$,

So for $N = 35$, with probability 0.9996 a user have bandwidth larger than 1Mbps.






Packet switching



- Each packet contains destination (**dst**)
- Each packet treated independently



Packet switching




- Each packet contains destination (**dst**)
- Each packet treated independently
- With buffers to absolve transient overloads

Store and forward: packets move one hop at a time, stored (queued) at switches



Packet Switching: queueing delay, loss



- Resource contention
 - aggregate (burst-up) resource demand can exceed amount available
- Congestion:
 - packets will queue, wait for link use
 - packets can be dropped (lost) if no memory to store them



Packet Switching

- Pros
 - Efficient use of network resources
 - Simpler to implement
 - Robust: can "route around trouble"
- Cons
 - Unpredictable performance
 - Requires buffer management and congestion control



Computer Networks and Internet

- Basic Concepts and Questions
- Network Performance
- Protocol Layers and Service Model
- Internet History



Delay

- How long does it take to send a packet from its source to destination?



Delay

- Consists of four components
 - Transmission delay
 - Propagation delay
 - Queuing delay
 - Processing delay
- due to link properties
- due to traffic mix and switch internals




A network link

- Transmission delay (传输时延)
 - How long does it take to **push all the bits of a packet** into a link?
 - Packet size / Transmission rate of the link
 - e.g., 1000 bits / 100 Mbits per sec = 10^{-5} sec
- Propagation delay (传播时延)
 - How long does it take to move **one bit from one end of a link to the other?**
 - Link length / Propagation speed of link
 - E.g., 30 kilometers / 3×10^8 meters per sec = 10^{-4} sec



Pipe view of a link



- Transmission delay decreases as bandwidth increases




Queuing delay

- How long does a packet have to sit in a buffer before it is processed?




Queueing delay: "pipe" view






Queueing delay: "pipe" view






Queueing delay: "pipe" view






Queueing delay: "pipe" view



Transient Overload




Queueing delay: "pipe" view






Queueing delay: "pipe" view



Transient Overload




Queueing delay: "pipe" view



Transient Overload



Queueing delay: "pipe" view





Queueing delay

- How long does a packet have to sit in a buffer before it is processed?
- **Characterized with statistical measures**
 - Average queuing delay
 - Variance of queuing delay
 - Probability delay exceeds a threshold value




Processing Delay

- How long does the switch take to process a packet?
 - Negligible



End-to-end delay





Loss

- What fraction of the packets sent to a destination are dropped?



Throughput

- At what rate is the destination receiving data from the source



Throughput

Transmission rate R bits/sec



File of size F bits


Packets of size L bits

Transfer time (T) = F/R + propagation delay

Average throughput = $F/T \approx R$



End-to-end throughput



$$\text{Average throughput} = \min\{R, R'\} = R$$




Computer Networks and Internet

- Basic Concepts and Questions
- Network Performance
- Protocol Layers and Service Model
- Internet History




Organization of air travel



- a series of steps



Layering of airline functionality



layers: each layer implements a service

- via its own internal-layer actions
- relying on services provided by layer below



Standard Protocol Architectures

- Two standards:
 - OSI Reference model
 - Never lived up to early promises
 - TCP/IP protocol suite
 - Most widely used
- Others
 - IBM Systems Network Architecture (SNA)
 - DECNet, Netware



OSI Layers

Example:
Alice invite Bob to lunch



"请客吃饭"

语言表述


听说同步

摘机拨号

PBX 中转


信号传输

插口、双绞线





Physical Layer



- Transfers bits across link
- Specification of the **physical aspects** of a comm link
 - **Mechanical**: cable, plugs, pins...
 - **Electrical/optical**: modulation, signal strength, voltage levels, bit times, ...
 - **Functional/procedural**: activate, maintain, deactivate physical links...
- **Physical interface** between devices
 - Ethernet, DSL, cable modem, telephone modems, ...
 - Twisted-pair cable, coaxial cable, optical fiber, radio, infrared, ...



Data Link Layer

- Groups bits into **frames**
- Activation, maintenance, & deactivation of data link **connections**
- **Transfers** frames across direct connections
- **Medium access control** for local area networks
- **Detection** of bit errors; **Retransmission** of frames
- End-to-end **flow control**
- Higher layers may assume **error free transmission**



Network Layer

- Transfers packets across **multiple links / multiple networks**
- **Addressing** must scale to large networks
- Nodes jointly execute **routing** algorithm to determine paths across the network
- **Forwarding** transfers packet across a node
- **Congestion control** to deal with traffic surges
- **Connection** setup, maintenance, and teardown when connection-based



Transport Layer

- Exchange of data **between end systems**
 - Transfers data end-to-end from process in one host to process in another host
- **Reliable** stream transfer or quick-and-simple single-block transfer
 - Error free
 - In sequence
 - No losses
 - No duplicates
- **Connection** setup, maintenance, and release



Upper Layers

- **Session**
 - Control of dialogues between applications
 - Dialogue discipline
 - Grouping data
 - Checkpoint recovery
- **Presentation**
 - Machine-independent representation of data
 - Data formats and coding
 - Data compression & encryption
- **Application**
 - Means for applications to access OSI environment

Incorporated into
Application Layer Now




TCP/IP Protocol Architecture

Used by the global **Internet**


- **Application:** supporting network applications
 - FTP, SMTP, HTTP
- **Transport:** process-process data transfer
 - TCP, UDP
- **Internetwork:** routing of datagrams across net of nets
 - IP, routing protocols
- **Link:** data transfer between neighboring routers / hosts
 - PPP, Ethernet
- **Physical:** bits “on the wire”

TCP/IP protocol stack vs. OSI






Layer encapsulation: Protocol headers







Encapsulation








source



switch

destination



router



南京大學

NANJING UNIVERSITY



Pros and cons of layering

- Why layers?
 - Reduce complexity
 - Improve flexibility
- Why not?
 - Higher overheads
 - Cross-layer information often useful



Computer Networks and Internet

- Basic Concepts and Questions
- Network Performance
- Protocol Layers and Service Model
- Internet History




Internet History (1)


1961-1972: Early packet-switching principles

60年代：诞生-分组交换网络

- **1961:** Kleinrock - queuing theory shows effectiveness of packet-switching (PhD@MIT)
- **1964:** Baran - packet-switching in military nets
- **1967:** ARPAnet conceived by Advanced Research Projects Agency
- **1969:** first ARPAnet node operational (UCLA, Stanford, UCSB, UTAH), Kleinrock
- **1972:**
 - ARPAnet demonstrated publicly
 - NCP (Network Control Protocol) first host-host protocol [RFC001]
 - First email program
 - ARPAnet has 15 nodes



THE ARPA NETWORK




In the Press About Publications History Twitter Students

The Day the Infant Internet Uttered its First Words

Below is a record of the first message ever sent over the ARPANET. It took place at 22:30 hours on October 29, 1969. This record is an excerpt from the "TMP Log" that was kept at UCLA. Professor Kleinrock (programmer Charley Kline (CSK) and they set up a message transmission to sigma 7 Host computer to another programmer, Bill Duval, at the SRI SCS 340 mission itself was simply to "login" to SRI from UCLA. They succeeded in "le 70" and then the system crashed! Hence, the first message on the Internet should! They were able to do the full login about an hour later.

Leonard Kleinrock	
Born	June 13, 1934 (age 82) New York City
Residence	Los Angeles
Nationality	United States
Fields	Engineering Computer science
Institutions	UCLA



南京大學

NANJING UNIVERSITY



Internet History (2)

1972-1980: Internetworking, new and proprietary nets

70年代：成型 单一、封闭网络 -> 开放互联网络

- **1970:** ALOHAnet satellite network in Hawaii, Norman Abramson (无线分组网络)
- **1973:** Robert Metcalfe's PhD thesis (@Harvard) proposes Ethernet (以太网), at Xerox PARC in **1976** (局域网诞生)
- **1974:** Cerf and Kahn - architecture for interconnecting networks (Internet构架)
- **Late70's:**
 - Proprietary architectures: DECnet, SNA, XNA
 - Switching fixed length packets (ATM precursor)
- **1979:** ARPAnet has 200 nodes

Vint Cerf, Robert E. Kahn and George W. Bush



- Cerf and Kahn's internetworking principles:
 - Minimalism, autonomy - no internal changes required to interconnect networks
 - Best effort service model
 - Stateless routers
 - Decentralized control
- Define today's Internet architecture
- Design of TCP/IP suits



Internet History (3)

1980-1990: new protocols, a proliferation of networks

80年代：持续发展

- 新协议：NCP- \rightarrow TCP/IP
- DNS：实现域名解析
- 应用：Email, Ftp

- **1983**: deployment of TCP/IP
- **1982**: SMTP email protocol defined
- **1983**: DNS defined for name-to-IP-address translation
- **1985**: FTP protocol defined
- **1988**: TCP congestion control
- New national networks: Csetnet, BITnet, NSFnet, Minitel
- 100,000 hosts connected to confederation of networks



Internet History (4)

1990's, 2000's: commercialization, the Web, new apps

90年代：因特网爆炸

- 万维网出现：www (http , HTML , Web Server , Browser)
- 商用化，逐渐普及
- 新型应用：Email , Web , IM (instant messaging) , MP3文件共享

- **Early 1990's:** ARPAnet decommissioned
- **1991:** NSF lifts restrictions on commercial use of NSFnet (decommissioned in 1995)
- **Early 1990's:** Web
 - Hypertext [Bush 1945, Nelson 1960's]
 - HTML, HTTP: Berners-Lee
- **1994:** Mosaic, later Netscape Browser

Late 1990's: commercialization of the Web

Late 1990's ~ 2000's:

- More killer apps: instant messaging, peer2peer file sharing (e.g. Napster)
- Network security to forefront
- Est. 50 million host, 100 million+ users
- Backbone links running at Gbps

蒂姆·伯纳斯-李爵士
Sir Tim Berners-Lee



出生 1955年6月8日 (61岁)^[1]

+ 英格兰伦敦

机构

万维网联盟
南安普敦大学
Plessey
麻省理工学院

知名于

发明万维网
麻省理工学院计算机科学及人工智能实
验室创办主席

2016 [Turing Award](#)



南京大學
NANJING UNIVERSITY




Internet History (5)

2000年以后，新型应用涌现

- 多媒体
- P2P网络
- 社交网络 (Facebook , Twitter , 人人 , 微博 , 微信 , ...)

2007

- ~500 million hosts
- Voice, Video over IP
- **P2P applications**: BitTorrent (file sharing), Skype (VoIP), PPLive (video)
- More applications: YouTube, online gaming
- Wireless and mobility
- 2015- , blockchain, AINet, 5G, ...





课程习题（作业）——截止日期：3月3日晚23:59

- **课本45页**：第R12、R23、R24、R25题
- 提交方式：<https://selearning.nju.edu.cn/>（教学支持系统）

教学支持系统	互联网计算-智软院	第1章-计算机网络和因特网 课本45页：第R12、R23、R24、R25题
▾ 2025 Spring	教师：殷亚凤	
▸ 本科生一年级	课后习题	
▸ 本科生二年级	第1章-计算机网络和因特网	
▸ 本科生三年级		
▸ 本科生四年级		
▸ 研究生一年级		
▸ 智能软件与工程学院		

- 命名：学号+姓名+第*章。
- 若提交遇到问题请及时发邮件或在下一次上课时反馈。



课程习题（作业）——截止日期：3月3日晚23:59

- R12. 与分组交换网络相比，电路交换网络有哪些优点？在电路交换网络中，TDM 比 FDM 有哪些优点？
- R23. 因特网协议栈中的 5 个层次有哪些？在这些层次中，每层的主要任务是什么？
- R24. 什么是应用层报文？什么是运输层报文段？什么是网络层数据报？什么是链路层帧？
- R25. 路由器处理因特网协议栈中的哪些层次？链路层交换机处理的是哪些层次？主机处理的是哪些层次？



提问

Q & A

殷亚凤

智能软件与工程学院

苏州校区南雍楼东区225

yafeng@nju.edu.cn , <https://yafengnju.github.io/>



南京大學
NANJING UNIVERSITY